




EVENING GUIDE · CALM

A practical guide to calmer nightcaps without alcohol

For readers who love an evening drink but wake at 3am and wonder why. You will be able to pour a warm or bitter alcohol free nightcap and read sugar, caffeine and gut labels with ease.

- **Warm ritual**
A warm or bitter drink can hold the place of wine without breaking sleep.
- **Small evidence**
Tart cherry and chamomile show gentle promise in small trials.
- **Check labels**
Sugar and caffeine shape the night more than the herb on the front.

By Annika Holm · Updated Sep 8, 2026 · 11 min read

CONTENTS

01	Why swap the nightcap	05	Sugar, caffeine and gut sensitivity checks
02	Tart cherry and chamomile teas	06	Glassware and ritual that make the swap stick
03	Cocoa and warm milk with spices	07	The checklist
04	Botanical sparkling drinks and bitters style sodas	08	Sources and further reading

The glass of wine feels kind at lights out. It shortens the time to fall asleep, then fragments the second half of the night and suppresses REM sleep. A warm or bitter drink without alcohol keeps the ritual and lets sleep run its slower course through to first light.

01

Why swap the nightcap

Alcohol has a two part effect on sleep that explains many restless nights. A narrative review of alcohol and sleep describes initial sedation through GABA signalling and shorter sleep latency, followed by rebound excitation through glutamate systems later in the night.

That second phase is where the trouble sits. The same review reports REM sleep suppression, fragmented sleep architecture and disruption of melatonin secretion and clock gene expression. Falling asleep sooner matters less when staying asleep becomes harder, with more wakefulness after midnight and lighter, broken rest toward morning.

The swap works best when framed as continuity rather than cure. No evening drink creates sleep on its own. A warm mug or a bitter pour in a proper glass marks the hour before bed, slows the pace, and avoids the rebound that tends to follow a nightcap with alcohol. The gain is steadier sleep across the night, not a faster slide into it.

Think of the drink as a signal to the body. Same time, same glass, same low light. The lamp stays on a little while, the phone rests face down, and the long exhale has room to arrive.

02

Tart cherry and chamomile teas

Tart cherry juice has a small but interesting research base. A 2025 systematic review in PMC included seven interventional studies of tart cherry and sleep, inflammation and neurotransmitter synthesis. The studies differed widely in dose, duration and population, so the evidence is limited and mixed rather than firm.

One detail matters for shopping. Montmorency tart cherries have more than six times the melatonin content of Balaton tart cherries. Reviews discuss melatonin along with tryptophan, magnesium and anthocyanins as possible reasons for effect, though exact dose and timing across ages and health conditions remain unclear.

Cleveland Clinic dietitian guidance suggests starting with 4 ounces of tart cherry juice or one half cup of fruit. Registered dietitian Beth Czerwony puts it simply: "Try a small amount for a few nights and see how you respond, and then you can increase a little each night." She adds of the possible sleep effect: "That can help you fall asleep sooner and keep you asleep for longer."

Choose unsweetened juice when possible and treat it as a concentrate for ritual rather than a large glass. Pour 4 ounces over ice, top with sparkling water, or stir a small pour into cooled chamomile tea with a slice of orange peel. Tart cherry is also acidic for some stomachs, so a small serve with food tends to sit better than a large serve alone.

Chamomile carries its own quiet record. A systematic review of oral chamomile for anxiety searched PubMed, Google Scholar and Scopus until August 2023 and included 10 clinical trials. A separate 2024 systematic review and meta-analysis of chamomile and sleep included ten studies with 772 participants.

The sleep meta-analysis found a significant reduction in Pittsburgh Sleep Quality Index score with a weighted mean difference of minus 1.88. In the same review, sleep onset latency or ease of getting to sleep improved in three of four studies. Daytime function and sleep efficiency often did not improve, and trials were small with product purity, potency and blinding rarely tested.

Chamomile plant extract contains apigenin, which binds to the same receptors in the brain as benzodiazepines and produces a sedative effect. That sounds strong, but the effect from tea is gentle and may help some people feel calmer before bed. Most herbal teas are naturally caffeine free, very low or zero sugar, and low in calories when unsweetened, which makes chamomile an easy base.

Brew with covered steeping to keep the aroma in the cup. Two to three minutes gives a light floral cup, four to five minutes a deeper one. If the taste feels thin after wine, add warmth and texture with steamed milk or a spoon of tart cherry stirred in after steeping.

FROM THE EDITORS

Pittsburgh Sleep Quality Index is a questionnaire score where lower means better reported sleep quality. A drop of 1.88 points suggests modest improvement, not a cure for insomnia, and small trials can overstate effects.

Cocoa and warm milk with spices

Warm milk owes its reputation to tryptophan. Milk is a source of the amino acid tryptophan, which the body needs to produce serotonin and melatonin involved in the sleep wake cycle. Whether a mug delivers enough to change sleep through nutrition remains unclear, and reviews describe the evidence as weak or inconclusive.

Ritual may carry much of the effect. Warmth, slow sipping, milk with cinnamon or nutmeg, and the same mug each night tell the nervous system that the day has ended. If milk usually feels comforting, keep it. If lactose brings bloating or urgency, try lactose free milk or a plain oat milk warmed gently, and keep spices soft rather than sharp.

Cocoa sits in a similar place between comfort and chemistry. Reviews mention cocoa flavonoids and a blood pressure calm idea, alongside a study in mice that suggested natural cocoa may improve stress induced insomnia. Human data on cocoa and sleep quality are limited, so evidence suggests possibility rather than proof.

Dark chocolate and rich cocoa pull in two directions, with magnesium and tryptophan toward relaxation and caffeine plus theobromine toward alertness. Caffeine has a half life of about 5 hours, and theobromine has a longer half life of 6 to 10 hours. An evening mug can linger longer than expected.

Caffeine checks by amount

A tablespoon of natural cocoa powder contains about 12 mg of caffeine and 110 mg of theobromine. A one ounce serving of 70 percent dark chocolate delivers about 25 mg of caffeine, and 85 percent cacao delivers roughly 35 mg compared with about 95 mg in a standard cup of coffee. An 8 ounce glass of chocolate milk contains roughly 5 mg of caffeine and typically 20 to 25 grams of added sugar.

For the hour before bed, keep cocoa light. One level tablespoon of natural cocoa in warm milk, lightly sweetened, gives flavor without the load of a dark bar. Dutch processed cocoa tastes smoother but differs in flavonoids, so choose taste first and keep the spoon small. Drink it early enough in the evening routine that caffeine and theobromine have time to fade, and keep rich desserts with high cacao for daytime.

Spices can add depth without sugar. Cinnamon, cardamom, vanilla and a pinch of salt widen the flavor of milk and cocoa. Chili and black pepper suit some palates but may feel too warming close to lights out.

04

Botanical sparkling drinks and bitters style sodas

Bitterness replaces much of what people miss from alcohol. Bitter notes slow sipping, pair well with citrus peel and ice, and feel adult in a rocks glass. Bubbles add a second layer, with lift and bite that plain water lacks.

Bitter Bubble describes its product as no alcohol, no calories and no sugar, with a custom blend of gentian, chicory and dandelion. That trio is typical of bitters style sodas, which lean on roots and herbs for depth rather than sweetness. Long term effects of nightly bitters style sodas and botanical blends on sleep and digestion are not well studied, so enjoy them for taste and ritual while watching your own response.

Pour them like a cocktail. Large ice, a wide glass, lemon or grapefruit peel expressed over the top. Some blends taste better lengthened with sparkling water, which softens bitterness and stretches one can across the evening. Keep the can cold and the glass at room temperature for contrast, or chill the glass when the night feels warm.

Euphorics style blends need a careful read. They usually combine botanicals, adaptogens or other plant extracts marketed for mood or relaxation, and ingredient reviews on [examine.com](https://www.examine.com) can help clarify what each component is thought to do. How these blends affect sleep architecture in controlled trials is not known, and formulas vary widely by brand. Look for full ingredient lists with amounts, skip products that hide behind proprietary blends, and talk with a clinician if you take sedatives, antidepressants or blood pressure medicines.

Carbonation deserves the same attention. Bubbles can soothe the urge for a sharp drink and can also bring burping or reflux when drunk fast or in volume. Pour a small glass first, sip slowly, and save refills for earlier in the evening if reflux tends to visit after midnight.

FROM THE EDITORS

Bitter herbs can stimulate digestion and may feel strong on an empty stomach. Start with half a serving over ice with food nearby, and pause nightly use if you notice heartburn, nausea or loose stools.

05

Sugar, caffeine and gut sensitivity checks

Sugar shapes sleep quality more quietly than caffeine. An 8 ounce glass of chocolate milk typically carries 20 to 25 grams of added sugar, enough to feel cozy at first and restless later for some people. Tart cherry juice also brings natural sugars, which is another reason to favor the 4

ounce starting serve and lengthen it with water, sparkling water or unsweetened tea.

Caffeine timing repays a little planning. With a half life of about 5 hours, an afternoon coffee can still echo near bedtime, and cocoa adds its own smaller dose plus the longer lived theobromine. Signs of slow caffeine metabolism include wired evenings after a morning cup, broken sleep after chocolate dessert, or morning grogginess despite enough hours in bed. Fast metabolizers may notice less, but late intake still fragments sleep for many.

A simple window helps. Keep coffee earlier in the day, keep cocoa light and early in the evening, and keep the last hour focused on caffeine free pours like chamomile, tart cherry with sparkling water, or bitters over ice. Those who have cut back on coffee this year often find the evening cup matters most once the morning cup shrinks.

Gut notes keep the ritual kind. Tart cherry acidity can bother sensitive stomachs in large pours. Milk lactose can bring gas or urgency for those with low lactase, where lactose free milk or a non dairy alternative may sit better. Bitters with gentian, chicory and dandelion taste complex and may feel strong undiluted, while carbonation can add pressure for reflux prone readers. Small serves, slow sipping and a light snack with protein or fiber usually ease the path.

Labels tell the story fast. Check serving size first, then added sugar, caffeine and full ingredient amounts. Zero alcohol, zero sugar and zero calorie claims describe one product, not the category. Unsweetened building blocks give most control, since sweetness can be added drop by drop at home.

06

Glassware and ritual that make the swap stick

Glassware signals nightcap to the brain. A heavy mug holds warmth and slows the hands. A coupe or a rocks glass with large ice gives sparkling botanicals and bitters the same ceremony as a cocktail. Keep one special glass for this hour and let other drinks live elsewhere.

Temperature and timing do quiet work. Warm drinks suit the sofa and the shift from day to dusk. Cold bitter drinks suit the kitchen counter while dinner settles. A consistent time about one hour before bed, with screens dimmed and the overhead light off, lets the drink mark the threshold rather than fill time.

Pairing steadies both hunger and habit. A small snack with yogurt, nuts, banana or whole grain toast keeps tart or bitter drinks from landing on an empty stomach. Heavy sweets and large pours push the other way, toward sugar highs and late wakefulness.

Build from low sugar unsweetened bases. Stock unsweetened tart cherry juice, chamomile and other herbal teas, natural cocoa, plain milk or a gentle alternative, sparkling water and one bitters style soda with gentian, chicory and dandelion. Add citrus, cinnamon, vanilla and honey in small amounts. The variety keeps evenings interesting while sugar and caffeine stay visible.

Let the night stay imperfect. Some evenings call for tea in bed with the lamp still on. Some call for a cold glass and a long talk. The measure is not a tracker score but waking a little clearer, with the nightstand holding a glass that helped rather than harmed.

07

The checklist

-
- ☐ Set a drink time about one hour before bed
 - ☐ Choose one nightcap glass and use it nightly
 - ☐ Start tart cherry at 4 ounces or one half cup fruit
 - ☐ Pick unsweetened juice and lengthen with sparkling water
 - ☐ Steep chamomile covered for 3 to 5 minutes
 - ☐ Keep cocoa to one tablespoon early in the evening
 - ☐ Flavor with cinnamon, vanilla or citrus peel
 - ☐ Read sugar per serving before pouring seconds
 - ☐ Keep caffeine out of the last hour
 - ☐ Start bitters with half a serving over large ice
 - ☐ Pair the drink with a small protein snack
 - ☐ Dim lights and rest the phone face down
-

Sources and further reading

- The Effect of Tart Cherry on Sleep Quality and Sleep Disorders: A Systematic Review · [pmc.ncbi.nlm.nih.gov](https://pubmed.ncbi.nlm.nih.gov/)
- The Effect of Oral Chamomile on Anxiety: A Systematic Review of Clinical Trials · [pmc.ncbi.nlm.nih.gov](https://pubmed.ncbi.nlm.nih.gov/)
- Effects of chamomile (*Matricaria chamomilla* L.) on sleep: A systematic review and meta-analysis of clinical trials · [sciencedirect.com](https://www.sciencedirect.com/)
- Does Dark Chocolate Help You Sleep? What Science Shows · superpower.com
- What helps with sleep – warm milk, chamomile or cocoa? - Healthy Food Guide · healthyfood.com
- BEYOND THE NIGHTCAP: A NARRATIVE REVIEW OF ALCOHOL'S IMPACT ON SLEEP ARCHITECTURE, CIRCADIAN RHYTHMS, AND RECOVERY · rscpubs.rsc.org
- Tart Cherry Juice for Sleep: Does It Really Work? · health.clevelandclinic.org

For information only, not medical advice. Ongoing trouble sleeping, loud snoring with pauses in breathing, or low mood that lingers deserves a doctor's attention, and supplements can interact with medication.



WRITTEN BY

Annika Holm

Annika looks after the brands Well with Luna works with and makes sure every sponsored page says so. She grew up in Uppsala with very short winter days, which is where her interest in light and sleep began.