




EVENING GUIDE · WIND DOWN

# Calmer evenings start with softer light at home

For readers who sleep lightly after long screen days and want gentler nights. After reading, they will be able to set up warm dim light, adjust screens, judge red light claims, and follow a short dimming routine.

- **Lower light**  
Overheads off after sunset carries more weight than any single filter.
- **Screens first**  
Dim the display and warm its color before reaching for glasses.
- **Red light**  
Skin and hair signals exist, while sleep improvement remains unproven.

By Courtney Belknap · Updated Sep 28, 2026 · 10 min read

CONTENTS

|    |                                                  |    |                                 |
|----|--------------------------------------------------|----|---------------------------------|
| 01 | Light colour in plain terms                      | 05 | A thirty minute dimming routine |
| 02 | Warm dim lamps and where to put them             | 06 | The checklist                   |
| 03 | Glasses and screen settings that cost little     | 07 | Sources and further reading     |
| 04 | Red light panels and what trials actually report |    |                                 |

---

The ceiling light clicks on at ten. The phone glows beside it. Sleep feels far away, although tiredness sits close. Small changes to color, brightness and timing can make the last hour feel quieter in the body as well as in the room.

# 01

## Light colour in plain terms

Light reaches the brain through the eyes in two ways. Vision forms images. A separate set of retinal cells reports brightness and time of day to the clock that guides sleep and waking.

Those cells use a pigment called melanopsin. Sensitivity peaks near blue green light, around 480 nm. Blue light therefore has the strongest impact on circadian rhythms, according to the National Institute for Occupational Safety and Health. The same source states that retinal photoreceptors signal melatonin suppression and circadian shifts.

White light includes blue light. Evening screen light can make falling asleep harder or cause early waking. By contrast, those photoreceptors do not respond to red light and respond minimally to yellow and orange light.

Colour is only part of the account. Brightness, duration, timing and prior light history matter as much as hue. A recent sleep light guide puts it plainly. Duration and brightness affect sleep more than colour alone.

A small comparison makes the point. Twelve adults aged 19 to 55 sat under red 631 nm or blue 464 nm LED light from 9 pm to midnight, with saliva samples each hour. After two hours, melatonin averaged 7.5 pg per mL under blue light and 26.0 pg per mL under red light, with p equals 0.019. Red allowed the night signal to rise. Blue held it low.

Consensus guidance gives useful anchors. Aim for at least 250 melanopic Equivalent Daylight Illuminance at the eye in daytime. Stay at most 10 in the three hours before bed. During sleep, keep light to no more than 1 melanopic lux, rising to at most 10 lux if a visual task is needed at night. Home meters rarely show these units, so treat them as direction rather than target. Bright days, dim evenings, dark nights.

Daytime light still counts. Bright light in the morning and afternoon supports alertness and later sleep. An adolescent crossover study adds nuance. Twenty two participants aged 14 to 17 received 130 lx, 2500 lx and 6.5 lx for 4.5 hours in the afternoon to early evening. Contrary to its hypothesis, evening melatonin decreased after bright afternoon to early evening light. The finding does not undo daytime light advice. It suggests timing and individual response matter, and that more is not always better late in the day.

#### FROM THE EDITORS

Melanopic light means light weighted for the melanopsin system rather than for vision. Lower numbers in the evening mean less signal to the body clock. No home threshold guarantees melatonin protection across ages and sensitivities.

## 02

### Warm dim lamps and where to put them

Overheads set the tone. A bright ceiling panel tells the clock it is still midday. Turning off overheads after sunset and using lower, warmer points of light is the largest low cost step.

Place light at or below eye level. A small table lamp, a floor lamp bounced off a wall, or a shaded bedside lamp keeps direct brightness out of the eyes. Indirect light feels softer at the same wattage because less reaches the retina straight on. Put lamps where time is spent in the hour before bed. One near the sofa, one near the bed, and a low one for the bathroom path covers most homes.

Choose colour with care. True amber with little emission below about 530 nm suits living areas. Red suits the bedroom and bathroom because the circadian system responds minimally to those longer wavelengths. Look for product spectra or plain statements about emission below 530 nm rather than trusting names like warm or candle alone. Dimming matters as much as colour. Keep brightness low enough for comfort, where faces look soft and print needs a little effort.

Timers help memory. Plug lamps into simple timers or smart plugs that shift down at about the same time nightly. The 2026 sleep light guide recommends dimming at a steady hour and lowering light further in the final hour awake, for example with red or orange bedside light. Regular timing trains expectation. The room begins to hush before the mind does.

Low cost swaps carry most of this chapter:

## Small changes that lower the load

Replace one overhead with two low lamps, even thrifted ones with warm bulbs. Move a bright desk lamp out of the night path. Use a plug in night light in amber or red for bathroom trips instead of the ceiling bar. Close hall doors so kitchen downlights do not spill into the bedroom. If bulbs must stay, choose the lowest comfortable brightness and the warmest colour available.

Renters need no rewiring. A warm plug in shade, a battery amber light on a shelf, and tape over a harsh LED indicator can change a room for little money. Cost stays low. Effect repeats nightly.

---

## 03

# Glasses and screen settings that cost little

Screens combine two problems. They add light near the eyes and they hold attention. Address brightness and habit first, then colour.

Start with distance and duration. Monitor guidance recommends a screen cutoff two to three hours before bed where possible. It also recommends a viewing distance of 20 to 26 inches with the 20-20-20 rule. Every 20 minutes, look at something 20 feet away for 20 seconds. For phones in bed, translate the idea. Hold the phone farther away, lower brightness to the floor, and stop scrolling earlier than feels necessary.

Next warm the display. Use night mode or redshift style settings that shift colour temperature toward amber in the evening. Sleep guides still recommend this as a first step. Spectrometer tests complicate the picture. Night mode still leaves a little blue for some of us, so it may not be enough on its own for rest. Expect less blue rather than none. Combine the setting with lower brightness and a dim room.

Amber glasses fit a narrow role. They block more blue at the eye when late screens cannot be avoided, such as night work or a shared living room. Reviews note that content stimulation, brightness and timing often matter more than filtering colour. Glasses help some late night monitor users, yet the gain beyond dim screens, dim rooms and earlier cutoff remains unclear in typical homes. There is no evidence that blue light glasses prevent digital eye strain, according to monitor guidance. Buy them for sleep timing, not for sore eyes.

## A calm screen order

Dim the room first, then dim the screen. Turn on the warm colour setting to run automatically after sunset. Reduce motion and sound. Notifications off, autoplay off, brightness near minimum. Keep one charger outside the bedroom so the phone does not rest beside the pillow. If reading on a phone, use a dark background with low brightness and a fixed end time.

Price stays modest here. Settings are free. Most amber glasses cost far less than a new lamp or panel. Return policies matter because fit and tint vary. Deep amber blocks more blue but changes colour strongly, which some people dislike for film or photos. Lighter tints feel easier yet filter less. Choose based on actual late use rather than promises on the box.

#### FROM THE EDITORS

No filter makes a bright, exciting feed restful. If sleep stays light, move the cutoff earlier and lower room light before spending more. People with eye disease, migraine with visual aura, or shift work sleep disorder may wish to speak with a clinician about light timing.

## 04

### Red light panels and what trials actually report

Red light devices have moved from clinics to nightstands. Panels, masks and wraps most commonly use red light about 630 to 660 nm and near infrared about 830 to 850 nm, according to a review of photobiomodulation. Red acts more superficially on epidermal and upper dermal layers while near infrared penetrates deeper. Doses, distances and session lengths vary widely by product.

Language around the field has grown. Stanford Medicine reports that photobiomodulation became a National Library of Medicine Medical Subject Heading term in 2015, followed by more published studies. More papers do not mean settled answers for sleep.

What manufacturers claim often runs ahead of what peer reviewed studies measure. Marketing may suggest faster sleep, deeper rest or recovery. Trials report smaller and more specific signals. Stanford experts report red light used consistently over multiple months has been shown to regrow thinning hair, with effects stopping after use stops. As clinical professor of dermatology Zakia Rahman said, "We know some hair products, such as topical minoxidil, harness that to stimulate hair growth,". Support also exists for some wrinkle outcomes. Wound healing results conflict, and sleep or athletic performance lack data.

Dermatologist Nour Kibbi, clinical assistant professor of dermatology, urged care. "It's very interesting and deserves further study, but for now, the data is somewhat conflicting and there are a lot of caveats." That caution fits evening use. No red or near infrared dose in this brief has been shown to help sleep without delaying circadian timing. Bright panels used late may add alerting light even when the colour looks calm.

For readers still curious, weigh four points before buying. Check for FDA clearance and what it actually covers, since clearance for wrinkles or hair loss is not clearance for sleep. Check eye safety, including goggles, distance and whether near infrared is invisible and therefore easy to

overuse. Ask for dose details in plain units and for how long effects were followed. Compare cost against low cost swaps that lower total evening light every night.

A panel is not needed for calmer light. A dim amber lamp, a warm screen and an earlier cutoff lower the input that matters most for melatonin. Consider red light devices as skin or hair tools with their own evidence and tradeoffs, not as sleep aids.

---

## 05

### A thirty minute dimming routine

A routine gives dim light somewhere to land. Thirty minutes is enough to signal the shift without turning the night into a project. Start at the same time when possible. Shorten to twenty minutes rather than skip on late nights.

A wind down guide recommends starting 30 to 60 minutes before bed and protecting 7 to 9 hours of sleep for adults. Another 30 minute routine splits time into 5 minutes tidy and change, 10 minutes shower or stretch, 10 minutes reading or journaling, and 5 minutes slow breathing to lights out. Keep the room near 18 to 20C and keep it quiet with earplugs or white noise if needed.

#### **The thirty minutes**

First five minutes, tidy and change. Lower lamps to their dimmest useful level. Change into sleep clothes. Clear the phone to charge outside the bedroom or lock it with audio on a timer. Lay out morning clothes to reduce morning light hunting.

Middle twenty minutes, warm and quiet the body. Ten minutes for a warm shower or gentle stretch under low light. Spend ten minutes reading paper or keeping a short journal in bed under a red or orange bedside light. Paper avoids the extra glow and the extra thread that keeps scrolling. Keep notes brief. Three lines about tomorrow can hold worry until first light.

Last five minutes, breathe and dim to dark. Both routine guides describe 4-7-8 breathing as inhale 4 seconds, hold 7 seconds, exhale 8 seconds for 3 to 5 rounds. Let the exhale run long and soft. Then lights out into true dark. If a bathroom trip is likely, leave only the low amber or red path light on.

Weekends and shift work test any plan. Evidence does not show how long routine benefits persist when timing shifts. Hold one anchor ثابت through change. Keep wake time steady within an hour where possible, keep the last ten minutes the same, and return to the full half hour the next night. Gentle repetition matters more than a perfect week.

---

## 06

### The checklist

- 
- ☐ Turn off overheads after sunset
- 
- ☐ Place one dim lamp near sofa and bed
- 
- ☐ Use amber in living areas, red near bed
- 
- ☐ Put lamps on nightly timers
- 
- ☐ Set screen cutoff 2 to 3 hours before bed
- 
- ☐ Keep viewing distance 20 to 26 inches
- 
- ☐ Use 20-20-20 breaks for evening screens
- 
- ☐ Turn on night mode after sunset
- 
- ☐ Add amber glasses only for unavoidable late screens
- 
- ☐ Keep bedroom near 18 to 20C and quiet
- 
- ☐ Try 4-7-8 breathing for 3 to 5 rounds
- 
- ☐ Charge phone outside bedroom or lock it
- 

## 07

### Sources and further reading

- What to Look for in Red Light Therapy: A Product Guide Backed by Science · [pmc.ncbi.nlm.nih.gov](https://pmc.ncbi.nlm.nih.gov)
- Comparative Effects of Red and Blue LED Light on Melatonin Levels During Three-Hour Exposure in Healthy Adults · [pmc.ncbi.nlm.nih.gov](https://pmc.ncbi.nlm.nih.gov)
- Red light therapy: What the science says · [med.stanford.edu](https://med.stanford.edu)
- Afternoon to early evening bright light exposure reduces later melatonin production in adolescents · [nature.com](https://nature.com)
- Module 2. The Color of the Light Affects Circadian Rhythms NIOSH · [cdc.gov](https://cdc.gov)
- Understanding Light at Night: What Matters (And What Doesn't) in 2026 · [hatch.co](https://hatch.co)

For information only, not medical advice. Ongoing trouble sleeping, loud snoring with pauses in breathing, or low mood that lingers deserves a doctor's attention, and supplements can interact with medication.



WRITTEN BY

**Courtney Belknap**

Courtney produces the interviews at Well with Luna: the research, the question lists, the late follow-up calls. She asks every founder about the worst night that started the company, and then about the dose.

---